

DCN-DISD Basic Discussion Unit

www.boschsecurity.com



BOSCH
Invented for life



- ▶ Low susceptibility to mobile phone interference
- ▶ Compact, attractive and ergonomic design
- ▶ Pluggable microphone
- ▶ Built-in loudspeaker
- ▶ Usable as delegate unit, dual delegate unit, chairman unit or single delegate unit with auxiliary button

The Basic Discussion Unit enables participants to speak, register a request-to-speak and listen to the speaker. A socket is provided to connect the pluggable microphones (DCN-MICS and DCN-MICL, to be ordered separately).

The unit also accommodates two separate headphone connections with individual volume control on either side of the unit, allowing one unit to serve two delegates. It can be converted to a full dual-use unit by replacing the microphone button with two separated microphone buttons for individual microphone control and individual delegate identification (DCN-DISBDD dual-use buttons, to be ordered separately).

Functions

- Headphone output level reduction to prevent acoustic feedback (active when listening to the floor and when the microphone is on). When unit is used in Dual Delegate mode, this function is available individually
- Built-in loudspeaker speaker is muted when the microphone is on to prevent acoustic feedback
- Unit can be used as a single delegate unit, as a dual delegate unit, as a chairman unit (DCN-DISBCM chairman buttons, to be ordered separately) or as a single delegate unit with auxiliary button

- Different rims are available to allow matching with the interior (DCN-DISR, to be ordered separately)
- The versatile auxiliary button can be used as an usher call, for example
- To lock the loop-through cable, a cable clamp is available (DCN-DISCLM, to be ordered separately)
- Unit is available in light and dark colored bases

Controls and Indicators

- Microphone button with a red, green or yellow illuminated ring. Red indicates microphone is active, green indicates request-to-speak accepted, and yellow indicates 'VIP' (when unit is used in Dual Delegate mode, this function is available individually)
- VIP indicator is lit when the delegate is part of the notebook (only available if PC Software is used)
- Two individual headphone volume control buttons
- Recessed 'De-init' switch

Interconnections

- Socket for pluggable microphone
- Two 3.5 mm (0.14 in) stereo jack type headphone sockets
- 2 m (78.7 in) cable terminated within a molded six-pole circular connector.
- Six-pole circular connector for loop-through connections

Certifications and approvals

Region	Certification
Europe	CE

Technical specifications

Electrical

Frequency response	30 Hz to 20 kHz
Headphone load impedance	> 32 ohm < 1k ohm
Output power	2 x 15 mW/32 ohm

Mechanical

Mounting	Tabletop (portable or fixed mounting) and flush mounting
Dimensions (H x W x D)	(without microphone)
Tabletop	61 x 190 x 116 mm (2.4 x 7.5 x 4.6 in)
Flush mounted	6 x 190 x 120 mm (0.2 x 7.5 x 4.7 in)
Weight	800 g (1.76 lb)
Color top	Silver (RAL 9022)
Color base	
DCN-DISD-L	Light Grey (RAL 000 7500)
DCN-DISD-D	Charcoal (PH 10736)

Ordering information

DCN-DISD-L Discussion Light

pluggable microphone, light base, microphone and rims to be ordered separately
Order number **DCN-DISD-L**

DCN-DISD-D Discussion Dark

pluggable microphone, dark base, microphone and rims to be ordered separately
Order number **DCN-DISD-D**

DCN-MICS Pluggable Short Microphone

length 310 mm (12.2 inch), silver
Order number **DCN-MICS**

DCN-MICL Pluggable Long Microphone

length 480 mm (18.9 inch), silver
Order number **DCN-MICL**

DCN-DISRH-SR Rim High Gloss Silver (10 pcs)

silver, high gloss, 10 pieces
Order number **DCN-DISRH-SR**

DCN-DISR-SR Rim Silver (10 pcs)

silver, 10 pieces
Order number **DCN-DISR-SR**

DCN-DISR-D Rim Dark (10 pcs)

dark, 10 pieces
Order number **DCN-DISR-D**

DCN-DISRMH Rim Metal High Gloss (10 pcs)

metal, high gloss, 10 pieces
Order number **DCN-DISRMH**

DCN-DISRMS Rim Metal Semi Gloss (10 pcs)

metal, semi gloss, 10 pieces
Order number **DCN-DISRMS**

DCN-DISBCM Buttons Chairman (10 sets)

10 sets
Order number **DCN-DISBCM**

DCN-DISBDD Buttons Dual Use (10 sets)

10 sets
Order number **DCN-DISBDD**

DCN-DISCLM Cable Clamp (25 pcs)

25 pieces
Order number **DCN-DISCLM**

Represented by:

Americas:

Bosch Security Systems, Inc.
12000 Portland Avenue South
Burnsville MN 55337, USA
Phone: +1-800-392-3497
Fax: +1-800-955-6831
audiosupport@us.bosch.com
www.boschsecurity.com

Europe, Middle East, Africa:

Bosch Security Systems B.V.
P.O. Box 80002
5617 BA Eindhoven, The Netherlands
Phone: + 31 40 2577 284
Fax: +31 40 2577 330
emea.securitysystems@bosch.com
www.boschsecurity.com

Asia-Pacific:

Robert Bosch (SEA) Pte Ltd, Security
Systems
11 Bishan Street 21
Singapore 573943
Phone: +65 6571 2808
Fax: +65 6571 2699
apr.securitysystems@bosch.com
www.boschsecurity.asia

China:

Bosch (Shanghai) Security Systems Ltd.
201 Building, No. 333 Fuquan Road
North IBP
Changning District, Shanghai
200335 China
Phone +86 21 22181111
Fax: +86 21 22182398
www.boschsecurity.com.cn

America Latina:

Robert Bosch Ltda Security Systems Division
Via Anhanguera, Km 98
CEP 13065-900
Campinas, Sao Paulo, Brazil
Phone: +55 19 2103 2860
Fax: +55 19 2103 2862
al.securitysystems@bosch.com
www.boschsecurity.com