

DCN-Dx-xx Delegate Unit Basic with fixed Microphone

www.boschsecurity.com



BOSCH
Invented for life



- ▶ Low susceptibility to mobile phone interference
- ▶ Compact, attractive and ergonomic design
- ▶ Fixed microphone
- ▶ Built-in loudspeaker
- ▶ Usable as delegate unit or chairman unit

The Delegate Unit with fixed microphone enables participants to speak, register a request-to-speak and listen to the speaker. The microphone stem is flexible. The unit also accommodates two headphone connections, so the speaker can be heard clearly even in situations with excessive background noise. The built-in loudspeaker is muted when the microphone is on to prevent acoustic feedback.

Functions

- Headphone output level reduction to prevent acoustic feedback (active when listening to the floor and when the microphone is on)
- The unit can be used as a delegate unit or as a chairman unit (DCN-DBCM chairman buttons to be ordered separately)
- To lock the loop-through cable, a cable clamp is available (DCN-DISCLM, to be ordered separately)
- The unit is available with two different microphone lengths

Controls and Indicators

- Microphone with red or green indicator

- Microphone button with a red, green or yellow illuminated LED. Red indicates microphone is active, green indicates request-to-speak accepted, and yellow indicates 'VIP'
- VIP indicator is lit when the delegate is part of the notebook (only available if PC Software is used)
- Headphone volume control buttons
- Recessed 'De-init' switch

Interconnections

- Two 3.5 mm (0.14 in) stereo jack type headphone sockets
- 2 m (78.7 in) cable terminated within a molded six-pole circular connector
- Six-pole circular connector for loop-through connections

Certifications and approvals

Region	Certification
Europe	CE

Technical specifications

Electrical

Frequency response	30 Hz to 20 kHz
Headphone load impedance	> 32 Ohm < 1k Ohm
Output power	2 x 15 mW/32 Ohm

Mechanical

Mounting	Tabletop (portable or fixed mounting)
Dimensions (H x W x D)	(without microphone)
Tabletop	60 x 210 x 140 mm (2.36 x 8.27 x 5.51 in)
Microphone lengths	
DCN-DS-xx	312.3 mm (12.30 in)
DCN-DL-xx	477.4 mm (18.80 in)
Weight	
DCN-DS-xx	1.2 kg (2.65 lb)
DCN-DL-xx	1.2 kg (2.65 lb)
Color top	Black (RAL 9017)
Color rear	Silver (RAL 9006)

Ordering information

DCN-DS-CN Delegate Unit Basic with fixed short Microphone (CN)

With short microphone (Chinese version).
Order number **DCN-DS-CN**

DCN-DL-CN Delegate Unit Basic with fixed long Microphone (CN)

With long microphone (Chinese version).
Order number **DCN-DL-CN**

DCN-DS Delegate Unit Basic with fixed short Microphone

With short microphone.
Order number **DCN-DS**

DCN-DL Delegate Unit Basic with fixed long Microphone

With long microphone.
Order number **DCN-DL**

DCN-DBCM Buttons Chairman (10 sets)

10 Sets
Order number **DCN-DBCM**

DCN-DISCLM Cable Clamp (25 pcs)

25 pieces
Order number **DCN-DISCLM**

Represented by:

Americas:

Bosch Security Systems, Inc.
12000 Portland Avenue South
Burnsville MN 55337, USA
Phone: +1-800-392-3497
Fax: +1-800-955-6831
audiosupport@us.bosch.com
www.boschsecurity.com

Europe, Middle East, Africa:

Bosch Security Systems B.V.
P.O. Box 80002
5617 BA Eindhoven, The Netherlands
Phone: + 31 40 2577 284
Fax: +31 40 2577 330
emea.securitysystems@bosch.com
www.boschsecurity.com

Asia-Pacific:

Robert Bosch (SEA) Pte Ltd, Security
Systems
11 Bishan Street 21
Singapore 573943
Phone: +65 6571 2808
Fax: +65 6571 2699
apr.securitysystems@bosch.com
www.boschsecurity.asia

China:

Bosch (Shanghai) Security Systems Ltd.
201 Building, No. 333 Fuquan Road
North IBP
Changning District, Shanghai
200335 China
Phone +86 21 22181111
Fax: +86 21 22182398
www.boschsecurity.com.cn

America Latina:

Robert Bosch Ltda Security Systems Division
Via Anhanguera, Km 98
CEP 13065-900
Campinas, Sao Paulo, Brazil
Phone: +55 19 2103 2860
Fax: +55 19 2103 2862
al.securitysystems@bosch.com
www.boschsecurity.com