

# **SUB 708-AS MK3**

## **ACTIVE SUBWOOFER**



## Description

The SUB 708-AS mk3 is a portable 18" high-power active subwoofer for live sound applications. It features a state-of-the-art transducer with a high-power ceramic magnetic circuit and a powerful Class-D amplifier that delivers sound pressure levels up to 133 dB with exceptional headroom. Designed as the ideal complement for 8" or 10" loudspeakers, it provides outstanding performance in any application. Rear panel controls include volume, EQ, polarity, and crossover frequency selection. The rugged all-wood cabinet with scratch-resistant polyurea coating makes it durable, easy to carry and install securely. With its versatility, sound quality, and high power output, the SUB 708-AS MK3 is perfect for small to mid-sized venues and portable applications.

#### **Features**

- > 1400 Watt Class-D Amplifier
- > 18" Woofer, bass reflex housing
- > Stereo Crossover
- > Switchable Crossover Frequencies
- > Polarity-reverse switch
- > Electronic equalization, soft limiter and protection
- > Stereo XLR input, Stereo XLR signal output
- > Bass Motion Control excursion management

## Part Number


13000809 SUB 708-AS MK3 13000810 SUB 708-AS MK3 220-240 V 100-120 V Black Black EAN 8024530020491 EAN 8024530021368



# **SUB 708-AS MK3**

## **ACTIVE SUBWOOFER**

## Line Art 2D



35 Hz ÷ 120 Hz

-2 dBu/+4 dBu

Convection

CE compliant

**VDE** 

133 dB

XLR

## **TECHNICAL SPECIFICATIONS**

**Acoustical specifications** 

Frequency Response Max SPL @ 1m

**Transducers** Input/Output section

1 x 18", 3.0" v.c Woofer bal/unbal Input signal XLR Input connectors

Output connectors Input sensitivity

**Processor section** 

110 Hz Hi-Pass Frequencies Low-Pass Frequencies 80 Hz

Protections Thermal, RMS Limiter Soft Limiter Controls Volume, EQ, Phase, Xover

Power section

**Total Power** 1400 W Peak, 700 W RMS Low frequencies 1400 W Peak, 700 W RMS

Cooling Connections

Standard compliance

Safety agency

**Physical specifications** 

Cabinet/Case Material Baltic birch plywood Handles One each side Pole mount/Cap M20 thread Grille Steel with clothing Black

Color

Size / Weight

Height 693 mm / 27.28 inches Width 505 mm / 19.88 inches 685 mm / 26.97 inches Depth Weight 40.6 kg / 89.51 lbs

**ACCESSORIES** Rigging / Mounting **POLE MOUNT KITS** 

**Technical Specifications** Page 2 of 3



# **SUB 708-AS MK3**

## ACTIVE SUBWOOFER

Rigging / Mounting | Protections

13360067 PM-KIT M20

Black EAN 8024530014599

Transportation

**BAGS, COVERS** 13360530 CVR 003

Black EAN 8024530020422

WHEELS

13360238 WH PRO 4X EAN 8024530018320

Technical Specifications Page 3 of 3